

IN THE CLAIMS:

1. (Original) A rippled wafer formed of a convoluted wafer ribbon, the rippled wafer having an average of at least 12 turns/cm², wherein a turn is a change in direction of the wafer ribbon of at least 45°.
2. (Original) A rippled wafer according to claim 1 having an average of at least 15 turns/ cm².
3. (Currently amended) A rippled wafer according to claim 1 or 2 having an average of at least 20 turns/cm².
4. (Currently amended) A rippled wafer according to ~~any of~~ claim 1 to 3 having an average of at least 25 turns/ cm².
5. (Currently amended) A rippled wafer according to ~~any preceding~~ claim 1, wherein a turn is a change in direction of the wafer ribbon of at least 90°.
6. (Currently amended) A rippled wafer according to ~~any preceding~~ claim 1, wherein a turn is a change in direction of the wafer ribbon of at least 135°.
7. (Currently amended) A rippled wafer according to ~~any preceding~~ claim 1, having a ratio of cross sectional edge length, ~~as defined in the specification~~, to average cross sectional area of greater than $2/r_e$, ~~as defined in the specification~~.
8. (Currently amended) A rippled wafer according to ~~any preceding~~ claim 1, having a ratio of cross sectional edge length to average cross sectional area of at least $4/r_e$.

9. (Currently amended) A confectionery product comprising a rippled wafer according to ~~any preceding~~ claim 1.

10. (Original) A confectionery product comprising a rippled wafer formed of a convoluted wafer ribbon, wherein the turns are substantially uniformly distributed across the cross section of the rippled wafer, where a turn is a change in direction of the wafer ribbon of at least 45°.

11. (Original) A confectionery product comprising a three-dimensional rippled wafer formed in a single step.

12. (Currently amended) A confectionery product according to claim 10, ~~or 11~~ wherein the ratio of the cross sectional edge length, ~~as defined in the specification,~~ to the average cross sectional area of the rippled wafer is greater than $2/r_e$, ~~as defined in the specification.~~

13. (Currently amended) A confectionery product according to claim 10, ~~11 or 12~~ wherein the ratio of the cross sectional edge length to the average cross sectional area of the rippled wafer is at least $4/r_e$.

14. (Currently amended) A confectionery product according to ~~any of claims 10 to 13~~ claim 10, wherein the rippled wafer has an average of at least 12 turns/ cm^2 .

15. (Original) A confectionery product according to claim 14 wherein the rippled wafer has an average of at least 14 turns/ cm^2 .

16. (Currently amended) A confectionery product according to claim 14, or 15 wherein the rippled wafer has an average of at least 20 turns / cm².

17. (Currently amended) A confectionery product according to any of claims claim 14, to 16 wherein the rippled wafer has an average of at least 25 turns/ cm².

18. (Currently amended) A confectionery product according to any of claims claim 10, to 17 wherein a turn is a change in direction of the wafer ribbon of at least 90°.

19. (Currently amended) A confectionery product according to any of claims claim 10, to 18 wherein a turn is a change in direction of the wafer ribbon of at least 135°.

20. (Currently amended) A confectionery product according to any of claims claim 9, to 19 further comprising a soft layer at least partly surrounding the rippled wafer and a hard shell.

21. (Original) A confectionery product according to claim 20 wherein the soft layer is a fat-based cream.

22. (Currently amended) A confectionery product according to claim 20, or 21 wherein the hard shell is chocolate.

23. (Currently amended) A moulded confectionery product according to any of claims claim 9 to 22.

24. (Currently amended) A petfood comprising a rippled wafer according to any of claims claim 1 to 8.

25. (Cancelled)

26. (Cancelled)